





Agilent 33503A BenchLink Waveform Builder Pro and Basic Software

*For Agilent Function/Arbitrary/Pulse Waveform
Generators and InfiniiVision Oscilloscopes*

Data Sheet

Fast and Easy Analysis Tools for More Insight

- Standard waveform library provides quick access to common signals (DC, half-sine, noise, sine, square, triangle, ramp, pulse, exponential)
- Comprehensive library of built-in signals provides fast, easy access to complex signals
- Free-hand, point and line-draw modes to create custom shapes
- Equation editor enables creation of waveforms with exact polynomials
- Advanced math functions provide additional flexibility for more complex signals
- Sequencing editor to build and arrange composite waveforms for design optimization
- Filtering and windowing functions allow smooth transitions between waveforms
- Fast Fourier Transform (FFT) capability enables viewing of signal frequency characteristics
- Complimentary Cumulative Distribution Function (CCDF) curves enables viewing of signal power characteristics



Create custom waveforms *faster*



Agilent Technologies

Fast, Efficient Custom Waveform Creation

The Agilent 33503A BenchLink Waveform Builder Pro is the first full-featured waveform creation software for waveform generators. The software enables engineers to take full advantage of Agilent signal generation capabilities and makes custom waveform creation fast and simple. It is ideal for R&D engineers characterizing new designs and test system engineers validating production units.

BenchLink Waveform Builder Pro is a Microsoft Windows®-based program that provides easy-to-use creation tools, such as an equation editor, waveform math and drawing tools, which can be used to create custom signals. It features a standard function library, waveform sequencer; as well as filters and windowing functions that allow you to easily modify and further refine your waveform. A library of built-in signals supports fast creation of more complex waveforms such as multi-tone, serial data, trapezoid and Gaussian.

With BenchLink Waveform Builder Pro, you gain access to advanced signal creation and editing capabilities, without requiring hours of programming. The result is quicker, easier creation of custom waveforms, coupled with deeper analysis insight into your signals.

Download Agilent's free 30-day trial version and create custom waveforms faster

The free 30-day demo version of the BenchLink Waveform Builder Pro Software is the fully functional Pro version. After the 30-day trial period the full version of the software will revert to the basic free version. If you choose to continue to utilize the full Pro version, you may purchase a license to retain the Pro version's full functionality and benefits.

For more information and to download your free copy today visit:
www.agilent.com/find/33503

Key applications

- Electronic controls, baseband wire less communications
- Linear amplifiers, DC brushless motors, switching power supplies
- Medical devices, digital audio
- Clock signals, modulation source




Figure 1. Multiple methods to create and import waveforms into the new 33500 Series.

Exceptional Functionality

The BenchLink Waveform Builder Pro software features a range of functionality designed to make common and custom waveform creation a fast and simple process. This functionality is summarized in Table 1.

Table 1. 33503A BenchLink Waveform Builder Pro and Basic version functionality.

Category	Description
Waveform Type	
Basic waveforms	DC
	Sine
	Triangle
	Square (with transition)
	Pulse (with transition)
	Ramp
	Noise
	Half-sine
	Line
Advance waveforms (<i>Pro version only</i>)	Exponential rise
	Exponential fall
	Noise
	Sinc
	Sweep
	Multi-tone
	Lorentz
	Stair step
	Haversine
	Gaussian
	Logarithmic
	Trapezoid
	Serial data
	Damped oscillation
	Distorted sine
	Surge pulse

Single-Channel Waveform	
View	Segment markers
	X and Y cursors
	Pin cursors
Edit	Multi-level undo/redo for all basic waveform editing operations
	Paste options such as at beginning, end, cursor, or replacement selection
	Copy/paste options with excel sheet
	Copy/paste options with text file
	Insert options such as at beginning, end, cursor, or replacement selection
	Edit/add/remove waveform points via table
Math	Addition
	Subtraction
	Multiplication
	Math operation with waveform library
	Math operation with constants
	Math operation with clipboard
Division by constant	
Dual-Channel Waveforms (<i>Pro version only</i>)	
View	Segment markers
	X and Y cursors
	Pin cursors
	Blinking cursor
Edit	Multi-level undo/redo for all basic waveform editing operations
	Paste options such as at beginning, end, cursor, or replacement selection
	Copy/paste options with Excel sheet
	Copy/paste options with text file
	Insert options such as at beginning, end, cursor, or replacement selection
	Edit/add/remove waveform points via table
Math	Synchronize and un-synchronize editing of dual-channel waveform
	Addition
	Subtraction
	Multiplication
	Math operation with waveform library
	Math operation with constants
Math operation with clipboard	

Sequencing (<i>Pro version only</i>)	
	Drag/drop sequence thumbnails
	Sequence editing via grid
	Simple undo/redo support
	Samples information
	Time duration
	Scrolling
	Repeat
Waveform generators that support sequencing	Create and save sequence
	Send and play sequence
Common Math Operations (Single & Dual-Channel)	
Math	Clip
	Absolute
	Invert
	Mirror
	Resize
	Shift/rotate -> horizontal
	Normalize waveform
	Trim
	Scale
	Re-sampling of waveform (sinc, linear, add points with zero amplitude)
Filters (<i>Pro version only</i>)	Low pass (F)
	High pass (F)
	Band pass (F,F)
	Low pass (second order) (F)
	Raised cosine
	Root-raised cosine
	Butterworth
	Chebyshev
	Bessel
	Elliptical
	User FIR (16 coefficients)
Windowing (<i>Pro version only</i>)	Hann
	Hamming
	Rectangular (uniform)
	Triangular
	Smooth (circular)
	Gaussian
	Blackman
	Flat top

Equation Editor	
	Build equations to create more advanced waveforms
Arithmetic operators	+ , - , * , / , x^y, (,)
Function library	ABS, ARCTAN, COS, EXP, FACT, LN, NOISE (uniform), NOISE (normal), POINT, SIN, SQRT, STEP, TAN
View Operations	
View	View individual data points/connect dots
	Panoramic view
	Time scale
	Scrolling
	Flexibility in editing the application display properties
	View FFT of waveform
	View CCDF of waveform
	View constellation (X vs. Y) of waveform
Edit	Set total samples/total time duration/sampling rate
	Freehand draw
	Line draw
	Point draw (with interpolation as linear, smooth, staircase)
Zooming	Horizontal zoom
	Vertical zoom
	Area zoom
	Zoom out
	Zoom with mouse wheel

Waveform Creation Examples




Figure 2. Arbitrary Waveform Sequences: Use the Waveform Sequence Tool to create longer custom waveforms by linking multiple waveforms together.




Figure 3. Multi-tone Signals:
Use the Multi-tone Segment Tool to create a multi-tone signal, up to 64 tones, to analyze a communications device.




Figure 4. Serial Data Stream: Use the Serial Data Segment Tool to create a digital bit stream to simulate the data flow of a serial link in your device.




Figure 5. Equation Editor: Use the Equation Editor Tool to create more advanced waveforms by writing equations that simulate your specific applications.

Comparing BenchLink Waveform Builder Basic and Waveform Builder Pro

Table 2. Functionality comparison between BenchLink Waveform Builder Pro versus Basic

Features	Waveform Builder Basic	Waveform Builder Pro
Basic waveform library	✓	✓
Cut, copy, paste with Excel	✓	✓
Waveform math	✓	✓
Free hand	✓	✓
Line draw	✓	✓
Advanced waveform library		✓
Equation editor		✓
Point draw		✓
FFT, CCDF, and constellation diagram		✓
Filters		✓
Windowing functions		✓
Dual-channel operation		✓

Supported waveform generators and oscilloscopes

The BenchLink Waveform Builder Pro software supports the following Agilent waveform generators:

- 33210A, 33220A, 33250A function/arbitrary waveform generators
- 33521A, 33522A function/arbitrary waveform generators
- 81150A, 81160A, 81180A pulse/function/arbitrary noise generators
- M8190A arbitrary waveform generator
- 2000 Series InfiniiVision oscilloscopes
- 3000 Series InfiniiVision oscilloscopes

Instrument connectivity

- Agilent I/O support
- National Instruments I/O support

Supported interfaces

- USB
- LAN
- GPIB

File operations for signal and dual channel waveforms (both open and save files)

File format:

- IntuiLink (.wvf)
- CSV (.csv)
- Binary
- Text (.txt)
- 33500 Series ASCII (.arb)
- 33500 Series Binary (.barb)
- 33500 Series Sequence (.seq)
- 81100 Series Sequence (.dseq)
- Dual-channel operation

System and Ordering Information

System and installation requirements

- **Operating system:** Windows 7® Pro, Windows Vista® (64- and 32-bit), Windows XP® SP3 (Does not support any Home editions), Enterprise and Ultimate (32-bit)
- **Processor:** Recommend Intel CORE™, Minimum Pentium® 5
- **RAM:** Recommend 3 GB or greater. For the 33521A and 33522A models with 16 MSa Arb memory installed, a minimum of 2 GB is required
- **Disk Space:** Recommend 300 MB, Min 200 MB
- **Display:** 1024x768 resolution, 256 colors
- **PC administrator access:** must login PC with a user password or have administrative access (software does not run in “guest mode”)
- **Agilent IO Libraries Version 14.1 or later installed on your machine:** The IO libraries are included with instrument on CD or can be downloaded from the ADN web site: www.agilent.com/find/adn
- **33521A, 33522A models:** firmware revision 1.12 or greater

Run-time software components included in the download version

- Microsoft .NET V3.5
- MATLAB Runtime V7.11
- Microsoft Visual Studio® Redistributed Runtime v9.0.30729.17

NOTE:

- This software is fully functional and can be used for 30 days before a software license is required.
- If you need to reinstall the software for any reason on the same PC, the 30-day trial automatically expires even if your 30-day has not been reached.

Ordering options and licensing information

Model number	Product name
---------------------	---------------------

33503A	BenchLink Waveform Builder Pro software
--------	---

1. Order the software and download directly from the Agilent web site for immediate use.
2. Order CD-Rom containing the software from the Agilent web site and it will be shipped to you.

*To order your copy or download a free 30-day trial version and start gaining insights into your measurements today, visit **www.agilent.com/find/33503**.*

The free 30-day demo version of the BenchLink Waveform Builder Pro Software is the fully functional Pro version. After the 30-day trial period the full version of the software will revert to the basic free version. If you choose to continue to utilize the full Pro version, you may purchase a license and retain the Pro version's full functionality and benefits.

Related literature

30 MHz Function/Arbitrary Waveform Generators Data Sheet
(33521A, 33522A 1- & 2-channel) literature number 5990-5914EN

InfiniiVision 2000 X-Series Oscilloscopes Data Sheet,
literature number 5990-6618EN

InfiniiVision 3000 X-Series Oscilloscopes Data Sheet,
literature number 5990-6619EN



Agilent Email Updates

www.agilent.com/find/emailupdates

Get the latest information on the products and applications you select.



www.lxistandard.org

LAN eXtensions for Instruments puts the power of Ethernet and the Web inside your test systems. Agilent is a founding member of the LXI consortium.

Agilent Channel Partners

www.agilent.com/find/channelpartners

Get the best of both worlds: Agilent's measurement expertise and product breadth, combined with channel partner convenience.

Pentium and CORE are trademarks of Intel Corporation in the U.S. and other countries.

Windows is a registered trademark of Microsoft Corporation in the United States and/or other countries.

Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.



Agilent Advantage Services is committed to your success throughout your equipment's lifetime. We share measurement and service expertise to help you create the products that change our world. To keep you competitive, we continually invest in tools and processes that speed up calibration and repair, reduce your cost of ownership, and move us ahead of your development curve.

www.agilent.com/find/advantageservices



www.agilent.com/quality

www.agilent.com
www.agilent.com/find/33503

For more information on Agilent Technologies' products, applications or services, please contact your local Agilent office. The complete list is available at:

www.agilent.com/find/contactus

Americas

Canada	(877) 894 4414
Brazil	(11) 4197 3600
Mexico	01800 5064 800
United States	(800) 829 4444

Asia Pacific

Australia	1 800 629 485
China	800 810 0189
Hong Kong	800 938 693
India	1 800 112 929
Japan	0120 (421) 345
Korea	080 769 0800
Malaysia	1 800 888 848
Singapore	1 800 375 8100
Taiwan	0800 047 866
Other AP Countries	(65) 375 8100

Europe & Middle East

Belgium	32 (0) 2 404 93 40
Denmark	45 45 80 12 15
Finland	358 (0) 10 855 2100
France	0825 010 700*
	*0.125 €/minute
Germany	49 (0) 7031 464 6333
Ireland	1890 924 204
Israel	972-3-9288-504/544
Italy	39 02 92 60 8484
Netherlands	31 (0) 20 547 2111
Spain	34 (91) 631 3300
Sweden	0200-88 22 55
United Kingdom	44 (0) 118 927 6201

For other unlisted Countries:

www.agilent.com/find/contactus

Revised: January 6, 2012

Product specifications and descriptions in this document subject to change without notice.

© Agilent Technologies, Inc. 2012
Printed in USA, January 27, 2012
5990-7569EN



Agilent Technologies